	Application No. Applicant(s		
Notice of Allowability	10/743,220	WESTWICK ET AL.	
	Examiner	Art Unit	(A)
	Patricia T. Nguyen	2817	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. X This communication is responsive to <u>amendment filed 10/24/05</u> .			
2. The allowed claim(s) is/are <u>1-36</u> .			
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> </ul>			
<ol> <li>Certified copies of the priority documents have been received.</li> </ol>			
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached			
1)  hereto or 2)  to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ol>			
Attachment(s)  1. Notice of References Cited (PTO-892)	5. Notice of Informal P	Patent Application (PTC	)-152)
Notice of References Cited (FTO-092)     Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary		· ·,
	Paper No./Mail Dat	te .	
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 8/5/05, 10/20/05</li> </ol>	8), 7. Examiner's Amendr	nenvomment	
4.   Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allo	wance
of Biological Material	9.		

Art Unit: 2817

## **DETAILED ACTION**

## Allowable Subject Matter

Claims 1-36 are allowed.

The following is an examiner's statement of reasons for allowance: prior art does not teach nor render obvious an input circuit for an RF power amplifier that has, in combination with other limitations, a limiting amplifier having an input coupled to the secondary side of the transformer and an output for providing an input to the RF power amplifier; neither does it have a predriver circuit for an RF power amplifier that has, in combination with other limitations, an amplifying stage coupled between the plurality of inverters and the input circuit; nor does it have a method of controlling a power amplifier having a predriver circuit that has the step of adjusting the DC bias levels in the predriver so that the input and output DC levels of the power amplifier are maintained in a predetermined relationship; nor does it have an amplifier that has, a first capacitance coupled between the second node of the first switching device and the third node of the second switching device; and a second capacitance coupled between the first node of the first switching device and the fourth node of the second switching device.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/743,220 Page 3

Art Unit: 2817

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patricia T. Nguyen whose telephone number is (703) 308-1927. The examiner can normally be reached on 6:30 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Pascal can be reached on 703-309-4940. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

PTN November 28, 2005

> PATRICIA NGUYEN PRIMARY EXAMINER

Patricia Nguyan